Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (memory adj2 module) and (memory adj2 system) and (high adj2 speed) and (terminat$3 near resist$4) and bus and (stub near2 resist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:20
L7	9	(memory adj2 module) and (high adj2 speed) and (terminat$3 near resist$4) and bus and (stub near2 resist$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:21
L8	307	motherboard and (memory adj module) and bus and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:22
L9	307	l8 and motherboard and (memory adj module) and bus and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:22
L10	35	l9 and (terminat$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
L11	10	l9 and (terminat$3 near resistor) and (memory adj module) and pin and bus and motherboard.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
S1	20	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and memory and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:22
S2	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and memory and bus and (stub near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:31
S3	7	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and bus and (stub near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:25

S5	14	"326"/$.ccls. and (terminat$3 near resistor) and memory and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:47
S6	73	(terminat$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 08:52
S7	14	"365"/$.ccls. and (terminat$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:49
S8	7	"326"/$.ccls. and (terminat$3 near resistor) and memory and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:50
S9	2	"326"/$.ccls. and (terminat$3 near resistor) and memory and pin and bus and motherboard and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:51
S10	2	"326"/$.ccls. and motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:56
S11	1	"365"/$.ccls. and motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:53
S12	8	motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:37
S13	5	motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and ((stub with resistor) or Rs) and Rterm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 08:58
S14	673	bus and memory and (resist$7 near2 terminat$3) and connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:27

S15	146	bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:00
S16	15	365/51,63,99,104,189.03,220, 221,230.03.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:02
S17	21	"365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:03
S18	22	"326"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:10
S19	33	bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:11
S20	8	"365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:41
S21	4	"326"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector and pin and mother$5 and (chip-set or (chip adj set) or chipset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/20 09:11
S22	101	"365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:28
S23	8	"365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and pin and connector and mother	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:32
S24	93	("365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector) not ("365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and pin and connector and mother)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:32

S25	1	(("365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and connector) not ("365"/$.ccls. and bus and memory and (resist$7 near2 terminat$3) and pin and connector and mother)) and "326"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 08:33
S26	49	365/63,51,61,53,230.03.ccls. and bus and memory and (resist$7 near2 terminat$3) and board$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:55
S27	6	365/63,51,61,53,230.03.ccls. and bus and memory and (resist$7 near2 terminat$3) and board$1 and calculat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 09:33
S28	2	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (memory adj2 module) with chip with bus with (termina$4 adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 15:57
S29	3	("5175704" | "6175517" | "6208548").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 15:54
S30	1	(memory adj2 module) same chip same bus same (termina$4 adj2 resistor) same (stab adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 15:59
S31	1	(memory adj2 module) same chip same bus same (termina$4 adj2 resistor) same (stab adj2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:05
S32	2	(memory adj2 module) and chip and bus same (termina$4 adj2 resistor) same stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:14
S33	2	(memory adj2 module) and chip and bus same (termina$4 adj2 resistor) and stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:15
S34	2	(memory adj2 module) and chip and bus and (termina$4 adj2 resistor) and stab	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:15

S35	2	(terminat$3 near resistor) and memory and bus and (stab near2 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:32
S36	3	(terminat$3 near5 resistor) and memory and bus and (stab near5 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:32
S37	8	("4715921" | "4910593" | "5013385" | "5029284" | "5596757" | "5701422" | "5706447" | "5729154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 16:33
S38	2	motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and (stab with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:37
S39	8	("5490279" | "6026456" | "6122695" | "6204683" | "6218863" | "6229335" | "6232814" | "6249142").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 16:41
S40	13	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and bus and ((stub near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 17:41
S41	13	("20010045816" | "5428288" | "5563838" | "5705922" | "5821767" | "5831890" | "6205194" | "6351827" | "6442644" | "6453421" | "6461169" | "6496380" | "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:04
S42	1	("5532954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:35

S43	31	("4262340" | "4651416" | "4656605" | "4727513" | "4740868" | "4850892" | "4882700" | "4884237" | "4891789" | "4990107" | "4992849" | "4992850" | "5026297" | "5051994" | "5089993" | "5094624" | "5112242" | "5126910" | "5138434" | "5145396" | "5157635" | "5161995" | "5162979" | "5167517" | "5200917" | "5270964" | "5272664" | "5307309" | "5319591" | "5339269" | "5383148").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:36
S44	31	("4262340" | "4651416" | "4656605" | "4727513" | "4740868" | "4850892" | "4882700" | "4884237" | "4891789" | "4990107" | "4992849" | "4992850" | "5026297" | "5051994" | "5089993" | "5094624" | "5112242" | "5126910" | "5138434" | "5145396" | "5157635" | "5161995" | "5162979" | "5167517" | "5200917" | "5270964" | "5272664" | "5307309" | "5319591" | "5339269" | "5383148").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/16 17:37
S45	6	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and bus and ((stab near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:11
S46	11	motherboard and (memory with chip) and pin and bus and (terminat$3 near resistor) and (stub with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 17:56
S47	6	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and bus and (((stab or plunge) near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:55
S48	13	("20010045816" | "5428288" | "5563838" | "5705922" | "5821767" | "5831890" | "6205194" | "6351827" | "6442644" | "6453421" | "6461169" | "6496380" | "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 08:13

S49	6	("5530623" | "5793998" | "6070217" | "6172895" | "6202110" | "6266252").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 08:21
S50	21	"365"/$.ccls. and (terminat$3 near resistor) and bus and (((stab or plunge) near2 resistor) or (series near2 resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:56
S51	6	("6151648" | "6157688" | "6356106" | "6493394" | "6502212" | "6519173").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:02
S52	14	("4388725" | "4811342" | "5003555" | "5243703" | "5254883" | "5268639" | "5436559" | "5537443" | "5548596" | "5864508" | "5995561" | "6157688" | "6166971" | "6185256").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:03
S53	13	("20010045816" | "5428288" | "5563838" | "5705922" | "5821767" | "5831890" | "6205194" | "6351827" | "6442644" | "6453421" | "6461169" | "6496380" | "6665736").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:04
S54	1	("5440519").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 09:07
S55	11	motherboard with chip and (pin near4 (memory adj module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:43
S56	1	motherboard and (pin near4 (memory adj module)) and resistor near5 end near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:45
S57	33	motherboard and (pin near4 (memory adj module)) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:17
S58	8	("5446860" | "5596758" | "5787293" | "5854915" | "5889721" | "6233201" | "6366521" | "6462557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/29 14:01
S59	5	("5675545" | "5796746" | "5828824" | "5956280" | "6133745").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/29 14:02

S60	3	motherboard and (bus near4 (memory adj module)) and resistor and (Rterm or (terminat$3 adj resistor)) and (Rs or ((stab or stub) adj resitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:16
S61	3	motherboard and (bus near4 (memory adj module)) and (Rterm or (terminat$3 adj resistor)) and (Rs or ((stab or stub) adj resitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:17
S62	321	motherboard and (memory adj module) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:18
S63	407	motherboard and (memory adj module) and resistor$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:18
S65	26	motherboard and (memory adj module) and bus and (terminat$3 adj3 resistor$1) and ((stab or stub) adj3 resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:19
S66	2	09/858401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 07:57
S67	11	motherboard and ((memory adj module) with resistor with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:14
S68	6	motherboard and ((memory adj module) near5 resistor$1 near5 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:20
S69	49	motherboard and ((memory adj module) same resistor$1 same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 08:20
S70	3	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (memory adj module) same (terminat$3 near resistor$1) same bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 09:12

S71	2	"6,480409".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:31
S72	31	(terminat$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:23
S73	3	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resistor) and (memory adj module) and pin and bus and motherboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:07
S74	3	"2001084070"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:08
S75	3	"2002023901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:08
S76	1	(stab near resistance) same (terminat$3 near resistance) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S77	2	(stab near resist$4) same (terminat$3 near resist$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S78	2	(stab with resist$4) same (terminat$3 with resist$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:25
S79	12	365/51,63,99,104,189.03,220, 221,230.03,233.ccls. and (terminat$3 near resist$4) and bus and (stub near2 resist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:35
S80	2	("4748426" | "5867446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/28 12:34

S81	59	(terminat$3 near resist$4) and bus and (stub near2 resist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:35
S82	1	(stub near resistance) same (terminat$3 near resistance) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 12:38
S83	28	(stub near resist$4) same (terminat$3 near resist$4) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:26
S84	14	("4472647" | "4719369" | "4748426" | "5029287" | "5107230" | "5239658" | "5274671" | "5382841" | "5440248" | "5479123" | "5602494" | "5731711" | "5781028" | "6023175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/28 12:48